THE PLANT DISEASE REPORTER

Issued By

CROPS RESEARCH DIVISION

AGRICULTURAL RESEARCH SERVICE

UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 253

INDEX TO SUPPLEMENTS 250-253, 1958

Supplement 253 Issued May 15, 1959

The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Crops Research Division serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

MAY 1959

Digitized by the Internet Archive
in 2025

https://archive.org/details/plant-disease_1959-05-15_supplement-253

PLANT DISEASE REPORTER SUPPLEMENT

Issued by

CROPS RESEARCH DIVISION

INDEX TO PLANT DISEASE REPORTER SUPPLEMENTS 250-252, 1958

Compiled by Nellie W. Nance

Crops Research Division
Plant Industry Station, Beltsville, Maryland

Supplement 253
Index to Supplements, 1958

LIST OF SUPPLEMENTS

Supplement 250. Blue mold of tobacco, pp. 1-35. June 15, 1958. By Hilde McGrath and Paul R. Miller. This includes the history of the disease in Australia and the United States, distribution and spread, epidemiology, etiology, symptoms, cultural practices, fungicides, resistant varieties, and 200 literature citations and references.

Supplement 251. Some new and important plant disease occurrences and developments in the United States in 1957, pp. 39-79. November 15, 1958. Compiled by Nellie W. Nance.

Supplement 252. Rootrot and related literature, an annotated bibliography, 1957, pp. 82-158. December 15, 1958. December 15, 1958. Prepared by L. W. Koch, H. R. Boyce, A. A. Hildebrand, C. D. McKeen, W. B. Mountain, Z. A. Patrick, R. N. Wensley, and N. J. Whitney.

Supplement 253. Index to Supplements 250-252, pp. 159-168. Issued May 15, 1959. By Nellie W. Nance.

SUBJECT INDEX

Abelia chinensis: Cercospora sp., 1st rept. on this host (Illinois), 52
Abies lasiocarpa: brown pocket rot, 70; white butt rot, 70
Acer spp.: Ganoderma lucidum, 70
Actinomycetes, 83
Adelopus gaeumanni, 72
Aegilops cylindrica: Tilletia contraversa, 1st rept. on this host (Utah), 51
Aglaonema simplex: Sphaerobolus stellatus in Florida, 70
Agri-mycin, 67, 78, 79
Agri-mycin 100, 68
Agri-mycin 500, 68
Agrobacterium tumefaciens, 67
Agropyron repens: Tilletia contraversa, 1st rept. on this host in North America (Pacific Northwest), 54
Alabama, 68, 71
Alaska, 61
Albizzia julibrissin: Meloidogyne spp., 70; vascular wilt, 70
Alfalfa: alfalfa dwarf (virus) in Rhode Island, 68; bacterial stem blight, 63; black stem, 63; Ditylenchus dipsaci, 63; northern anthracnose, 63; Pseudopeziza leafspot, 63; seed treatment with Arasan, 63
Alternaria porri, 75
--- solani, 78
Annulus zonatus, 69
Antibiotics, 75, 83, translocation in plants, 55
Aphelenchoides, 61, 67
--- besseyi, 65
Aphelenchus, 61, 67
Apple: bull's eye rot or target spot, 66; Cephalosporium carpogenum, 1st rept. on apple from Pennsylvania, 47; chat fruit, 66; powdery mildew, 66; rough skin, 66; rubbery wood, 66; scab, 66
Apricot: ring pox (virus), 67
Arasan, 59
Arkansas, 47, 60, 65, 66
Arrhenatherum elatius: leaf streak, 61
Ascochyta brachypodii, 48
--- imperfecta, 63
Asparagus: rust, 75
Azalea: nematodes, 69

Bacillus aroideae, 74
Bacteria, 86
Bacterium stewartii, 59, 60
Barley: loose smut, 57; stripe mosaic (virus), 57
Basic copper sulfate, 75
Bean: halo blight, 78; root rot, 77; rust, 78; streptomycin absorption, 77; tobacco mosaic virus, 78; wind-whip in Florida, 78

(Bean), lima: downy mildew, freezing technique, 77
Beet, sugar, see sugar beet
Blackberry: anthracnose, 68
Blue mold of tobacco. Suppl. 250, pp. 1-35
Boleodorus, 61
Bordeaux, 78
Botryosphaeria ribis, 71
Botrytis sp., 70
--- cinerea, 65, 77
Bouteloua gracilis: Cochliobolus bouteloua, 1st rept. on this host in Kansas, 48
Broccoli: downy mildew, 75
Bromus inermis: cereal yellow-dwarf virus, 61

Cabbage: club root, 75
Calcium cyanamid, 68
California, 51, 52, 53, 60, 61, 64, 65, 66, 67, 68, 70, 73, 74, 78
Camellia japonica: Sclerotinia camelliae, 1st rept. on this host in Texas, 48
Canada, 77
Capitophorus minor, 66
Captan, 59, 64
Carneocephala flaviceps, 68
Carya illinoensis: downy spot, 68; scab, 68
Castanea dentata: Endothia parasitica, 71
--- mollissima: blossom-end rot, 71
--- pumila: Ceratocystis fagacearum, 71
Catalpa speciosa: Verticillium albo-atrum, 1st rept. on this host in Kansas, 48
Cauliflower: club root, 75
CBP-55, 74
Celery: Colletotrichum sp., new disease of celery in Florida, 54
Cephalosporium carpogenum, 47
Ceratocystis fagacearum, 71, 72
--- ulmi, 49, 72
Cercis canadensis: Verticillium albo-atrum, 1st rept. on this host in Kansas, 49
Cercospora sp., 52
--- citrullina, 49
--- photinia-serrulatae, 53
--- rautensis, 62
--- setariae, 48
--- struthanthi, 48
Chenopodium album: Heterodera schachtii, 69
Cherry: crown gall, 67; leaf spot, 67; mid-leaf necrosis (virus), 67; rosette (virus), 67
Chilopsis linearis: damping-off, 70
Chloris verticillata: Ascochyta brachypodii, 1st rept. on this host in Kansas, 48
Chloropicrin, 65, 73
Chrysanthemum sp.: mosaic and rosette viruses, 69
Chytrids, 89
Circulifer tenellus, 74
Citrus spp.: damping-off, 64; fruit rot (Oöspora sp.) 1st rept. causing a fruit rot in the field in Louisiana, 64; greasy spot (cause undet.), 64; Phytophthora spp., technique for isolating, 64; psorosis (scaly bark), 64; seedling yellows (virus), 64; spreading decline (Radopholus similis), 64; stubborn disease (?virus), 64; tristeza (virus), 64; Tylenchus semipenetrans, native to Florida soils, 64; wood pocket, 65
--- aurantifolia: Rangpur lime disease (virus), 65
--- aurantifolia x fortunella: yellowing of veins of leaves (California), 65
--- limonia: Hemicycliophora sp., 1st rept. on this host (California), 51
--- sinensis: tristeza, bark pitting not a reliable symptom, 65
Cladosporium fulvum, 77
Claviceps paspali, 61
Coccomyces hiemalis, 67
Cochliobolus boutelouae, 48
--- heterostrophus, 60
Colletotrichum sp., 69; on celery in Florida, 54
--- destructivum, 69
--- lagenarium, 76
--- violae-tricoloris, 70
Colorado, 58
Connecticut, 50, 77, 78
Control, of rootrot, 89
Copper-manganese, 75
Copper-zinc, 75
Corn: bacterial stalk rot, 60; bacterial wilt, 59; leaf diseases, 60; Puccinia polysora, 1st rept. in Arkansas, 47; seed vitality, rolled-towel cold test method valuable, 59; smut, 60; southern corn rust, 60; stalk rot, 60; wheat streak mosaic virus, 60
Corn, sweet: bacterial wilt, 60
Cornus nuttallii: Fusicladium sp., 1st rept. in this country (Oregon), 52
Coronilla varia: Cercospora rautensis, 62
Corticium radiosum, 70
Corynebacterium rathayi, 48
--- sepedonicum, 78
Corynespora cassiicola, 62
Coryneum beijerinckii, 51
Cotton: control of seedling disease complex, 73; estimated losses, 73; Meloidogyne incognita acrita, 73; new disease (Texas), 53; Rhizoctonia damping-off, 73
Crataegus spp.: Fabraea maculata, 71
Criconemoides spp., 56, 61, 67
Cronartium ribicola, 71
Crotalaria spectabilis: Radopholus similis, 62

Cryptochaete polygonia, 70
Cucumber: angular leaf spot, 76; Cercospora citrullina, 1st rept. on this host in North Carolina, 49
Cucurbita maxima: Xanthomonas cucurbitae, 1st rept. on this host in Washington, 50
Cucurbits: insecticide-fungicide more effective than fungicides used alone, 76; Pseudoperonospora cubensis, 1st rept. on this host in Illinois, 50; squash mosaic virus, 76
Cuscuta spp.: Colletotrichum destructivum, 69
Cycloheximide, 71
Cycloheximide acetate, 77
Cyprex, 65, 67
Cytospora kunzei, 72
Cytovirin, 55

Dactylis glomerata: Corynebacterium rathayi, 1st rept. on this host in Kansas, 48; leaf streak, 61
D-D, 73, 75
DDT, 67
Delaware, 75
Digitaria sanguinalis: smut, 61
Diplodia natalensis, 64
--- zeae, 60
Diseases of cereal crops, 56; forage and cover crops, 61; fruit crops, 64; grasses in Kansas, 54; nut crops, 68; shrubs and trees, 70; special crops, 73; vegetable crops, 75
Distribution, of barley yellow dwarf virus, 56
Ditylenchus, 61, 67, 70
--- dipsaci, 63
Dorlone, 74
Downy mildew, see blue mold
Draeculacephala antica, 68
Dyrene, 68, 75

EDB, 73
Eggplant: Verticillium wilt, 78
Elaeagnus angustifolia: Verticillium albo-atrum, 1st rept. on this host (Kansas), 52
Elsinoë veneta, 68
Elymus virginicus: Ustilago macrospora, 1st rept. on this host in Kansas, 48
Endothia parasitica, 71
Entomosporium maculatum, 53
Eragrostis pilosa: Helminthosporium kusanoi, 1st rept. on this host in Kansas, 48
Erwinia sp., 60
--- amylovora, 67
--- atroseptica, 78
--- nigrifluens, 53
Erysiphe cichoracearum, 76

--- graminis var. avenae, 57
--- --- var. tritici, 58
Ethylene dichloride, 64
Europe, 61

Fabraea maculata, 71
Ferbam, 67
Fig: Physopella fici, 1st rept. on this host in Arkansas, 47
Flax: aster yellows (virus), 73; curly top (virus), 74
Florida, 48, 49, 50, 51, 54, 57, 58, 60, 62, 64, 65, 68, 69, 70, 71, 73, 74, 77
Fomes annosus, 71
Fungi, 91; associated with decay of wood products in the United States, 55
Fungicides, 75
Fusarium spp., 61, 70
--- oxysporum f. batatatis, 76
--- --- f. hebae, 53
--- --- f. lycopersici, 77
--- --- f. perniciosum, 70
--- --- f. tracheiphilum, 79
--- solani f. phaseoli, 55, 77
Fusicladium sp., 52
--- effusum, 68
Fusicoccum amygdali, 67

Ganoderma lucidum, 70
Gardenia augusta: dieback, 69
Georgia, 56, 57, 68, 71, 74, 76
Gibberella fujikuroi, 50
--- zeae, 60
Gibberellic acid, 73
Gibberellin, effect of, on plant disease, 56
Gladiolus spp.: tomato ringspot virus, 69
Gloeosporium perennans, 66
Glomerella cingulata, 69, 71
Glyodin, 66
Gramineae: "hoja blanca", wild grasses as alternate hosts of, 61
Grape: dead-arm, 68; leaf roll (virus), 68; Pierce's disease (virus), 68
Graphiola phoenicis, 66
Griseofulvin, 75

HCB, 59
Hebe buxifolia: Fusarium oxysporum f. hebae, a new disease (California), 53
Helicobasidium corticioides, 70
Helicotylenchus, 61, 65
--- multicinctus, 69
Helminthosporium spp., 57
--- carbonum, 60
--- kusanoi, 48
--- maydis, 60
--- sativum, 61
--- turcicum, 60
Hemicycliophora sp., 51
Heterodera, 61
--- glycines, 51, 62

(Heterodera) rostochiensis, 79
--- schachtii, 49
Hibiscus cannabinus: Meloidogyne incognita, 73
Hoja blanca (white leaf), on rice in Florida, 50
Homalodisca insolita, 68
--- triquetra, 68
Hoplolaimus spp., 56, 61, 67
Host range, of strains of cereal yellow-dwarf virus, 56; Striga asiatica, 55
Hosts: Paratylenchus projectus and Trichodorus christiei, 54
Hosts, new: for dwarf bunt in Pacific Northwest, 54; for Meloidodera floridensis, Pratylenchus brachyurus, Tylenchorhynchus claytoni, 54
Hosts, weed: lettuce mosaic (virus), 54
Hosts and strains, of pea enation mosaic virus, 55
Hyacinthus orientalis: Botrytis hyacinthi, 1st rept. on this host (Washington), 52
Hydrangea macrophylla: ringspot (virus), 69
Hygrometer, for microclimate measurements, 55

Idaho, 60, 63
Illinois, 47, 50, 51, 52, 59, 70, 77
Indiana, 51, 59, 60, 69, 74, 77
Indoleacetic acid, 60
Inoculum potential, 106
Insecticides and herbicides, 106

Juglans regia: Erwinia nigrifluens, a new disease (California), 53; walnut blight, 68
Juncus leseurii: Meloidogyne hapla, 1st rept. on this host (California), 53
Juniperus spp.: Phytophthora cinnamomi, 71
--- virginiana: Pratylenchus penetrans, 71

Kabatiella caulivora, 63
Kansas, 47, 48, 49, 52, 54, 56 ff.
Karathane, 66
Kromad, 70

Lamium amplexicaule: Heterodera glycines, 1st rept. on this host (Tennessee), 51
Lead arsenate, 66
Lepiota morgani, 70
Lettuce: big vein (virus), 76; broomrape, serious losses in California, 76; rail shipment inspections at Pittsburgh, Pa., 76
Liquidamber styraciflua: Botryosphaeria ribis, 71
Lithium salts, 75
Longidorus, 67
Lophodermium filiforme, 49
Lotus corniculatus: diseases observed in six southeastern States, 62
Louisiana, 48, 50, 53, 64, 71, 77

Lupinus spp.: bean yellow mosaic virus, 62
--- albus: Heterodera glycines, 1st rept. on this host (Tennessee), 51
--- angustifolius: gray leaf spot, 62

Macrophomina phaseoli, 47
Macrosteles fascifrons, 73
Maine, 57, 78, 79
Malva spp.: Malva yellow vein mosaic (virus), 1st rept. in this country (California), 52
Maneb, 64, 66, 68, 75
Marmor trifolii, 63
Maryland, 55, 65, 70, 72, 74, 77
Massachusetts, 53
Melanoplus differentialis, 62
--- femur-rubrum, 62
--- mexicanus, 62
Meloidogyne spp., 61, 75
--- hapla, 65
--- incognita, 69, 73
--- --- acrita, 73, 76
Mentha piperita: Verticillium albo-atrum, 74
Methyl bromide, 65, 74, 76, 77
Mexico, 58
Michigan, 47, 52, 65 ff., 78
Minnesota, 59, 61, 71, 73, 77
Mississippi, 56, 68, 71
Missouri, 51, 55, 63, 65, 66, 71, 72
Monilinia vaccinii-corymbosi, 52, 68
Montana, 59, 71
Morsus suffodiens, 68
Musa sp.: Radopholus similis, 1st rept. on this host from Louisiana, 48
Mycosphaerella caryigena, 68
--- fragariae, 65
Mycostatin, 70
Mylone 85W, 69
Myxomycetes, 108
Myzus persicae, 76

Nebraska, 58, 61, 62, 71, 77
Nemagon, 73
Nematocides, 108
Nematocides, specifications for, 56
Nematodes, 114
Neotylenchus, 61
New Jersey, 55, 70, 77
New Mexico, 54, 58, 75
New York, 49, 55, 56, 63, 70, 75, 76, 79
North Carolina, 49, 51, 55, 60, 62, 71, 72, 74, 75
North Central States, 77
North Dakota, 73, 77
Nothotylenchus, 61
Nutrition, 134

Oats: diseases in Mississippi, 57; red leaf (virus), 57; rust, 56, 57; "yellow chlorosis", 57; "yellow leaf" (virus), 57

Ocimum basilicum: Meloidogyne incognita acrita, 74
Ohio, 51
Oklahoma, 58, 65, 68
Olpidium, 76
Oncometopia undata, 68
Onion: Meloidogyne spp., 75; purple blotch, 75; Sclerotium cepivorum, 1st rept. on this host in New York, 49
Oospora sp., 64
Oregon, 49, 51, 52, 55, 67, 68, 71
Ornamental plants: nematodes, 69
Orobanche ramosa, 77
Oryza sativa: blast, 58; colored smoke to indicate movement of air in paddy, 58; Gibberella fujikuroi, 1st rept. on this host in the United States (Texas), 50; hoja blanca, 1st rept. on this host in the United States (Florida), 50

Pacific Northwest, 59, 67
Panicum scribnerianum: Septoria tandilensis, 1st rept. on this host in Kansas, 48
Paratylenchus spp., 56, 61
--- projectus, 54
Paspalum dilatatum: ergot, 61
PCNB, 59
Pea: purple blight (? nutritional), 78
Peach: canker, 67; embryonic abortion (virus), 67; leaf curl, 67; nematodes in New Jersey, 67; peach mosaic (virus), 1st rept. on this host in West Virginia, 47; soil treatments for elimination of yellow bud mosaic virus, 67
Peanut: stem rot, 73
Pear: blue mold (Penicillium), 67; bull's-eye rot (Neofabraea), 67; fire blight, 67; gray mold (Botrytis), 67; red mottle, 66; vein yellows, 66
Pelargonium spp.: bacterial stem rot, 69
Penicillium digitatum, 64
Peniophora luna, 70
Pennsylvania, 47, 61, 62, 67, 69, 71, 72, 74
Pentachloronitrobenzene, 73
Pepper: mosaic (virus), 75
---, pimiento: bacterial spot, 75; ripe rot, 75
Peronospora manshurica, 62
--- parasitica, 75, 78
--- tabacina, 74; history of disease in Australia and the United States, 5, distribution and spread, 6, epidemiology, 9, etiology 16, symptoms, 17, cultural practices 18, resistant varieties, 23
Persea americana: root rot, 66
Pfeffingerkrankheit, see under virus diseases, rosette of sour cherry
Phleum pratense: cereal yellow-dwarf virus, 61
--- pratense: leaf streak, 61; Puccinia poae-nemoralis, 1st rept. on this host (Wyoming), 51
Phoenix dactylifera: Graphiola phoenicis, 66
Phomopsis citri, 64
--- viticola, 68
Phoradendron flavescens: Cercospora struthanthi, 1st rept. on this host in Florida, 48
Photinia glabra: Entomosporium maculatum, 1st rept. on this host (Louisiana), 53
--- serrulata: Cercospora photinia-serrulatae n. sp. in Louisiana, 53
Phytophthora spp., 64, 69
--- cinnamomi, 66, 71
--- fragariae, 65
--- infestans, 77, 79
--- phaseoli, 77
--- sojae, 51
Picea sitchensis: Lophodermium filiforme, 1st rept. on this host in Oregon, 49
Piesma cinerea, 73
Pinus spp.: black root rot (cause unknown), 71; effect of biocides on growth of seedlings and on incidence of mycorrhizae, 71
--- contorta: top or trunk rot, 70
--- echinata: Fomes annosus, 71
--- elliotii: cold injury, 71
--- monticola: blister rust, 71
--- ponderosa: galls (cause unknown), in Montana, 71
--- strobus: blister rust in Minnesota, 71
--- taeda: soil fumigation for nematode control improved yield and quality, 72
Piricularia grisea, 62
--- oryzae, 57, 58
Plagiostoma populi, 53
Planter, for use on experimental plots, 55
Plasmodiophora brassicae, 75
Plenodomus meliloti, 61
Poa spp.: cereal yellow-dwarf virus, 61
--- pratensis: Helminthosporium sativum, 61
Podosphaera leucotricha, 66
Populus deltoides: Cytospora chrysosperma, 72
--- grandidentata and hybrids: Plagiostoma populi n. sp., (Massachusetts), 53
--- tremuloides: Cryptochaete polygonia, 70; Plagiostoma populi n. sp. (Massachusetts), 53
Potato: big bud (virus), 79; black leg, 78; early blight, 78; haywire (virus), 79; Heterodera rostochiensis, 79; knotty tuber disease (?virus), 79; late blight, 79; ring rot, 78; Verticillium wilt, 79

Powdery mildew, of apple, 66
Pratylenchus sp(p.), 56, 57, 61, 65, 67
--- penetrans, 71
--- vulnus, 70
Prunus amygdalus: bacterial blast, 68
--- cerasus: midleaf necrosis, a new virus disease, in Oregon, 51
--- cerasifera: winter injury, 66
--- domestica: prune dwarf (virus), 1st rept. on this host in West Virginia, 47
--- lyonii: Coryneum beijerinckii, 1st rept. on this host (California), 51
--- pensylvanica: Monilinia vaccinii-corymbosi, 1st rept. on this host (Michigan), 52
Pseudomonas angulata, 49
--- lachrymans, 76
--- medicaginis, 63
--- phaseolicola, 78
--- syringae, 68
--- tabaci, 74
Pseudoperonospora cubensis, 50
Pseudopityophthorus minutissimus, 72
Pseudotsuga taxifolia: Adelopus gaeumanni, 72; Cytospora kunzei, 72; Rhabdocline pseudotsugae, 72
Psilenchus, 61
Psorosis, of Citrus spp., 64
Puccinia asparagi, 75
--- coronata, 56
--- --- var. avenae, 56, 57
--- graminis, 56
--- --- var. avenae, 56, 57
--- --- var. tritici, 56, 58
--- poae-nemoralis, 51
--- polysora, 47, 60
--- recondita (P. rubigo-vera tritici), 56, 58
--- stenotaphri, 51
--- striiformis, 47, 56, 58
Pythium débaryanum, 73
--- graminicola, 60
--- ultimum, 70

Quercus spp.: oak wilt (Ceratocystis fagacearum), 71, 72, on Q. brutia and Q. lusitanica, 71

Radicula armoracia: Rhizoctonia solani, 1st rept. on this host in Connecticut, 50
Radopholus gracilis, 55
--- similis, 48, 62, 64
Raphanus sativus: Peronospora parasitica, 78
Rhabdocline pseudotsugae, 72
Rhizoctonia solani, 64, 66, 70, 73
Rhode Island, 68, 70
Rhododendron spp.: Colletotrichum sp., 69
Rhopalosiphum prunifolia, 57
Robinia pseudoacacia: damping-off, 70
Rootrot and related literature, an annotated bibliography, 1957. Suppl. 252, pp. 82-158
Rosa spp.: gray mold, 70; Lepiota morgani, 70; Pratylenchus vulnus, 70
Rotylenchus sp(p.), 56, 61

Sclerotinia borealis, 61
--- camelliae, 48
--- sclerotiorum, 50, 66
Sclerotium cepivorum, 49
--- rolfsii, 73
Scolecotrichum graminis, 61
Semesan Bel, 67
Septoria avenae, 57
--- tandilensis, 48
--- tritici, 59
Sesamum indicum: Verticillium albo-atrum, 1st rept. on this host (New Mexico), 54
Sesbania macrocarpa: Heterodera glycines, 1st rept. on this host (Tennessee), 51
Setaria lutescens: Cercospora setariae, 1st rept. on this host in Kansas, 48
Small grain disease surveys in Georgia and South Carolina, 56
Sodium borate, 60
Soil fungicides, 134
Some new and important plant disease occurrences and developments in the United States in 1957. Suppl. 251, pp. 39-79
Sorghum: kernel smut, 58
South America, 61
South Carolina, 56, 57, 74, 77
South Dakota, 49, 58, 73
Soybean: bud blight (tobacco ringspot virus), 62; downy mildew, 62; Heterodera glycines; 62; Phytophthora sojae n. sp. in Illinois, Indiana, Missouri, North Carolina, Ohio, 51; root and stem rot, 62; virus disease undescribed, 62; viruses, bibliography of, 62
Spergon SL, 75
Sphacelotheca sorghi, 58
Sphaerobolus stellatus, 70
Spinach: curly top virus, 75
Sporobolus neglectus: Helminthosporium giganteum, 1st rept. on this host in Kansas, 48
Stemphylium solani, 62, 77
Stenotaphrum secundatum: gray leaf spot, 62; Puccinia stenotaphri, 1st rept. in this country (Florida), 51
Strains of the cereal yellow-dwarf virus, 56, grass hosts, 61
Strawberry: aster yellows (virus), 66; aster yellows (virus), 1st rept. on this host in Michigan, 47; black root rot, 65; bud rot, 66; gray mold, 65; leaf spot, 65; Macrophomina phaseoli, 1st rept. on this host in Illinois, 47; Meloidogyne

hapla, 65; red stele, 65; Sclerotinia sclerotiorum, 1st rept. on strawberry fruit in Washington, 66; summer dwarf, 65; virus diseases, 66
Streptomycin, 60
Streptomycin-fungicide mixtures, 78
Streptomycin nitrate, 74
Streptomycin plus basic copper sulfate, 75
Streptomycin sulfate, 67, 74
Striga asiatica, 55; soil type and soil temperature limiting factors, 60
Sugar beet: Heterodera schachtii, 73; 1st rept. on this host in South Dakota, 49; Meloidogyne incognita var. acrita, 73; rosette (virus), 73; savoy (virus), 73
Sugarcane: ratoon stunting disease (virus), Johnson grass and corn act as carriers, 74
Sweetpotato: control of decay during marketing, 76; internal cork (virus), 76; Meloidogyne incognita acrita, 76; mosaic and related viruses, literature review, 76; stem rot or wilt, 76

Taphrina deformans, 67
Technique, colored smoke to indicate movement of air in rice paddy, 58; for handling nematode samples, 56; for preliminary screening of nematocides 55; tent for field inoculation of test plants, 55; for transferring inoculum through a flame, 55
Telone, 73
Tennessee, 51, 65, 77
Terraclor, 75
Terramycin, 60, 67
Tetracycline, 60
Teucrium fruticans: Meloidogyne hapla, 1st rept. on this host (California), 53
Texas, 48, 50, 53, 58, 59, 66, 74
Thielaviopsis basicola, 55
Thimet, 73
Tilletia caries, 59
--- contraversa, 51, 54, 59
--- foetida, 59
Tobacco: bed rot and black leg in Maryland, 48; black leg, 74; blue mold, 3, 74; Pseudomonas angulata, 1st rept. on this host in Florida, 49; Tylenchorhynchus claytoni, 74; wildfire, 74
Tomato: bacterial spot, 77; broomrape, in California, 77, serious losses in California, 76; foliar diseases, 77; late blight, 77; leaf mold, 77; Sclerotinia sclerotiorum, 1st rept. on this host in Louisiana, 50; Verticillium wilt, 77
Toxins and other substances of biotic origin, 145
Trees: leaf diseases in Illinois, 70
Tri-Basic copper, 65
Trichlorethane gas, 64
2,4,5-Trichlorophenoxyacetic acid, 60
Trichodorus spp., 56, 61
--- christiei, 54, 70
Trifolium pratense: Pseudopeziza leafspot, 63; Typhula trifolii, 63
--- repens var. Ladino: Marmor trifolii, red clover vein mosaic virus, 1st rept. of natural occurrence on this host (New York), 63
Triticum spp.: Septoria tritici, 59
Turnip: Verticillium albo-atrum, 1st rept. on this host (Kansas), 54
Tylenchorhynchus sp(p.), 56, 61, 65, 67
--- claytoni, 70, 74
Tylenchus, 61, 67, 70
Tylenchus semipenetrans, 69
Typhula idahoensis, 61
Typhula trifolii, 63

Ulmus spp.: Ceratocystis ulmi, (Dutch elm disease), 49, 72, first rept. in Kansas, 49
--- americana: damping-off, 70; Verticillium albo-atrum, 1st rept. on this host in Kansas, 49
Umbellularia californica: Meloidogyne hapla, 1st rept. on this host (California), 53
United States, 61
Uromyces phaseoli var. typica, 78
--- trifolii var. fallens, 63
Ustilago avenae, 57
--- hordei, 57
--- macrospora, 48
--- maydis, 60
--- nuda, 57
--- syntherismae, 61
--- tritici, 59
Utah, 51

Vaccinium australe: Armillaria mellea, 1st rept. on this host (Michigan), 52
--- corymbosum: mummy berry, 68
Vancide 51, 70
Vapam, 71, 79
V-C 13 Nemacide, 69
Vegetable crops: aster yellows (virus), 75; curly top virus, 75; Meloidogyne incognita acrita, nematocides for control, 75
Venturia inaequalis, 66
Vermicularia capsici, 75
Vermont, 72
Verticillium albo-atrum, 48, 49, 52, 54, 74, 77, 78, 79
Vigna sinensis: Fusarium wilt, 79
Viola spp.: anthracnose, 70
Virginia, 48, 73, 74
Virus diseases: of strawberry, 66

(Virus diseases): alfalfa dwarf, of alfalfa, 68
--- ---: aster yellows of flax, 73; strawberry, 47, 66; vegetable crops, 75
--- ---: big bud of potato, 79
--- ---: big vein of lettuce, Olpidium associated, 76
--- ---: bud blight, of soybean, 62
--- ---: cereal yellow-dwarf of grasses, 61
--- ---: curly top of flax, 74; spinach, 75; vegetables, 75
--- ---: embryonic abortion of peach, 67
--- ---: haywire of potato, 79
--- ---: internal cork of sweetpotato, 76
--- ---: leaf roll of grape, 68
--- ---: midleaf necrosis of cherry, 67; Prunus cerasus, 51
Virus diseases: (mosaics) barley stripe mosaic of wheat, 59; bean yellow mosaic of Lupinus spp., 62; lettuce mosaic of weed hosts, 54; Malva yellow vein mosaic of Malva spp., 52: mosaic of pepper, 75, of wheat, 59; mosaic and related viruses of sweetpotato, 76; mosaic and rosette viruses of Chrysanthemum, 69; peach mosaic of peach, 47; red clover vein mosaic of Ladino clover 62; soil-borne viruses of oat and wheat mosaics, 56; squash mosaic of cucurbits, 76; stripe mosaic of barley, 57; tobacco mosaic of bean, 78; wheat streak mosaic of corn 60, wheat 59
--- ---: new virus diseases of cotton, 53
--- ---: Pierce's disease of grape, 68
--- ---: prune dwarf of prune, 47
--- ---: Rangpur lime disease of Citrus aurantifolia, 65
--- ---: ratoon stunting disease of sugarcane, 74
--- ---: red leaf of oats, 57
--- ---: ring pox of apricot, 67
--- ---: ring spot of Hydrangea macrophylla, 69
--- ---: rosette of sour cherry, 67; sugar beet, 73
--- ---: savoy of sugar beet, 73
--- ---: seedling yellows of Citrus, 64
--- ---: tomato ringspot of Gladiolus spp., 69
--- ---: tristeza of Citrus, 64
--- ---: "yellow leaf" of oats, 57
V.P.M., 75

Washington, 50, 52, 59, 66
Watermelon: anthracnose, 78; powdery mildew, 76
Weather 1956-1957: temperature and precipitation (maps), winter, spring, summer and fall, 43 ff.
Weather of 1957, 39
Weather injuries: wind-whip of bean, 78
West Virginia, 47, 67, 72
Wheat: barley stripe mosaic (virus), 59; bunt, 59; loose smut, 59; mosaic (virus), 59; powdery mildew, 58; Puccinia striiformis 1st rept. on this host in Kansas, 47; rust, 56, 58; wheat streak mosaic (virus), 59
Wisconsin, 57, 59, 72, 76, 77
Woody plants: method of isolating virus-like particles from woody plants showing symptoms of elm phloem necroses, peach X-disease, and cherry ring spot, 70
Wyoming, 51, 58, 78

Xanthomonas cucurbitae, 50
--- juglandis, 68
--- pelargonii, 69
--- vesicatoria, 75, 77
Xiphinema spp., 56, 61, 65, 67

Zinc glass frit, 75
Zineb, 71, 75
Ziram, 66, 67, 68

ERRATA

On page 69, last paragraph, read RHODODENDRON spp., instead of RHODENDRON spp.

CROPS RESEARCH DIVISION